



PRODUCT DATA SHEET
LIGHT SILK WALL & TRIM FINISH

PHILOSOPHY COLOR

The first color system of its kind that takes away the anxiety of selecting the perfect color for your home.

HIGHLIGHTS:

- Thick Coverage
- Easy to Apply
- Fast Dry Time
- Washable
- Excellent Coverage
- Uniform Finish

FINISH: Light Silk Wall & Trim

THINNING: Not recommended

CLEANUP: Use hot soapy water

COVERAGE: 305 square feet per gallon

DRY TIME

At 77° Fahrenheit and 50% humidity

DRY TIME TO TOUCH: ½ hour

DRY TIME TO RECOAT: 2 hours

PHYSICAL PROPERTIES

DRY FILM THICKNESS: 1.5 - 2 mils

LIGHT REFLECTANCE: 90% on White, lower on colors

VISCOSITY RANGE: 94-98 Krebs Units

ODOR: Mild latex paint odor

TOXIC PROPERTIES: Non-toxic as a dry film

RESISTANCE: Good

WEIGHT: 10.9 lbs per gallon

60° GLOSS: 10-15

SOLIDS WEIGHT: 49-53%

SOLIDS VOLUME: 34-38%

THEORETICAL VOC: 1.24 lbs. per gallon, 149 grams per liter

SURFACE PREPARATION

MASONARY AND BLOCK:
Philosophy Color Foundation Primer

WALLBOARD AND WOOD:
Philosophy Color Foundation Primer

APPLICATION

BRUSH: Nylon or polyester is recommended

ROLLER: Use 1/4" to ½" nap synthetic roller cover

PAD: Use a synthetic pad

AIRLESS SPRAYER:
Recommended pressure 2000 – 2500 psi, using .015 to .21 tip orifice.

CONVENTIONAL SPRAYER:
Recommended pressure 40-60 psi; fluid pressure 20 psi; tip size .0042" to .0045" with matching cap. Reduce up to one pint per gallon with water.

HVLP: Reduce up to one pint per gallon with water. Accuspray 24k

Disclaimer – All technical advice, recommendations and services regarding this product are rendered by the Seller gratis. They are based on technical data which the Seller believes to be reliable and are intended for use by persons having skill and know-how, at their discretion and risk. Seller assumes no responsibility for results obtained or damages incurred from this product use by Buyer whether as recommended herein or otherwise. Such recommendations, technical advice or services are not to be taken as a license to operate under or suggest infringement of any patent.

Philosophy Color, LLC
18800 142nd Avenue NE
Suite 2B
Woodinville, WA 98072

www.philosophycolor.com
Philosophy Color is a trademark of
Philosophy Color, LLC

WHITE – 53011

MIDTONE – 53021

NEUTRAL – 53041

DEEP – 53031